


# CATALOG NPG - E LINE



*Distribution & Service*



*Fitness Club 24 is one of the biggest companies in Easter Europe that equips fitness clubs from A to Z. Our broad offer allows us to adjust to each client separately with brand new or refurbished equipment.*

*Fitness Club 24 was established in 2008 and thru last 10 years it got 10 times bigger.*

*Since we do not only sell equipment but also run own gym chain we do have a know-how to operate each gym. So far we have fully supplied hundreds of clubs and delivered our goods across the world.*



*Our warehouse is over 10 000 m<sup>2</sup> and is filled with machines, accessories, lockers and utilities. Brand new, refurbished or just as is equipment can be found here.*





*We hire around 100 highly qualified people. Every single person is responsible for the success of the whole organization. Our employees put a lot of effort into satisfaction of our clients. We have a division in Germany and that allows us to provide the pre and aftersales service in Germany.*



*Having all departments in one location improved our efficiency and helped to reduce the time required to handle the orders.*







*Distribution & Service*

**WE CREATE POSSIBILITIES**



**E 1.01**  
**LAT PULL DOWN**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1140</b>	<b>610</b>	<b>2260</b>	<b>100</b>



**E 1.01-1**  
**LAT PULL DOWN (WEIGHTSTACK-150KG)**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1140</b>	<b>610</b>	<b>2260</b>	<b>150</b>



**E 1.02**  
**LOW ROW**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1650</b>	<b>1015</b>	<b>1900</b>	<b>100</b>



**E 1.02-1**  
**LOW ROW (WEIGHTSTACK-150KG)**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1650</b>	<b>1015</b>	<b>1900</b>	<b>150</b>






### E 1.03 CROSS OVER CABLE MACHINE

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>3220</b>	<b>915</b>	<b>2320</b>	<b>2*100</b>



### E 1.03-1 CROSS OVER CABLE MACHINE WITH ADJUSTABLE BLOCK

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>3220</b>	<b>915</b>	<b>2320</b>	<b>2*100</b>





**E 1.05  
TRICEPS MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>895</b>	<b>1005</b>	<b>1524</b>	<b>100</b>



**E 1.06  
BICEPS MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1050</b>	<b>985</b>	<b>1524</b>	<b>100</b>



**E 1.07  
LEG EXTENSION**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1160</b>	<b>1160</b>	<b>1524</b>	<b>100</b>



**E 1.07-1**  
**LEG EXTENSION (WEIGHTSTACK-150KG)**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1160</b>	<b>1160</b>	<b>1524</b>	<b>150</b>



**E 1.08**  
**LEG CURL**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1160</b>	<b>1160</b>	<b>1524</b>	<b>100</b>



**E 1.08-1**  
**LEG CURL (PRONE POSITION)**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1605</b>	<b>940</b>	<b>1524</b>	<b>100</b>





**E 1.09**  
**ADDUCTOR-ABDUCTOR MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1350</b>	<b>1415</b>	<b>1524</b>	<b>100</b>



**E 1.10**  
**SEATED CALF MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>935</b>	<b>1250</b>	<b>1524</b>	<b>100</b>



**E 1.11**  
**LEG CURL/EXTENSION COMBO**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1160</b>	<b>1160</b>	<b>1524</b>	<b>100</b>



**E 1.12**  
**ROWING MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1120</b>	<b>1135</b>	<b>1910</b>	<b>100</b>



**E 1.13  
DELTOID MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1090</b>	<b>1455</b>	<b>1524</b>	<b>100</b>



**E 1.14  
ABDUCTOR MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1785</b>	<b>660</b>	<b>1524</b>	<b>100</b>



**E 1.15  
ADDUCTOR MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1785</b>	<b>1420</b>	<b>1524</b>	<b>100</b>



**E 1.16  
ANATOMIC ABDOMINAL MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1255</b>	<b>750</b>	<b>1546</b>	<b>100</b>





**E 1.17**  
**TWIST MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1625</b>	<b>1335</b>	<b>1524</b>	<b>100</b>



**E 1.18**  
**LAT-ROW MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>2140</b>	<b>680</b>	<b>2258</b>	<b>100</b>



**E 1.19**  
**CALF MACHINE**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1287</b>	<b>984</b>	<b>1750</b>	<b>100</b>



**E 1.22  
BUTTERFLY**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1510</b>	<b>1610</b>	<b>1524</b>	<b>100</b>



**E 1.24  
REAR DELTOID/PECTORAL FLY**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1175</b>	<b>1355</b>	<b>1816</b>	<b>100</b>



**E 1.24-1  
REAR DELTOID/PECTORAL FLY  
(WEIGHT-150KG)**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1175</b>	<b>1355</b>	<b>1816</b>	<b>150</b>



**E 1.25  
ASSISTED CHIN/DIP**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1420</b>	<b>750</b>	<b>2433</b>	<b>95</b>





**E 1.27**  
**VERTICAL PRESS**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1810</b>	<b>1425</b>	<b>1524</b>	<b>100</b>



**E 1.28**  
**INCLINE PRESS**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1615</b>	<b>1400</b>	<b>1524</b>	<b>100</b>



**E 1.29**  
**SUPINE PRESS**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1780</b>	<b>1410</b>	<b>1524</b>	<b>100</b>



**E 1.30**  
**CROSS OVER CABLE MACHINE (SINGLE)**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1243</b>	<b>795</b>	<b>2158</b>	<b>100</b>



**E 1.31**  
**GLUTEUS MACHINE/RADIAL**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1152</b>	<b>982</b>	<b>1524</b>	<b>100</b>



**E 1.35**  
**BACK EXTENSION**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1000</b>	<b>1420</b>	<b>1524</b>	<b>100</b>



**E 1.40**  
**LEG PRESS**

Dimensions, mm			Stack weight, kg
Length	Width	Height	
<b>1840</b>	<b>960</b>	<b>1910</b>	<b>180</b>





# FREE WEIGHT MACHINES



**E 2.02**  
**ANGLED LEG PRESS 45°**

Dimensions, mm			Max loading, kg
Length	Width	Height	
2475	1215	1485	400



**E 2.02B**  
**VERTICAL LEG PRESS**

Dimensions, mm			Max loading, kg
Length	Width	Height	
1360	1705	1630	400



**E 2.03  
HACK SQUAT**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>2320</b>	<b>1215</b>	<b>1485</b>	<b>250</b>



**E 2.04  
ROWING**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1060</b>	<b>920</b>	<b>1180</b>	<b>200</b>



**E 2.05  
SHOULDER PRESS**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1845</b>	<b>1675</b>	<b>1190</b>	<b>2*125</b>



**E 2.06  
INCLINE PRESS**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1645</b>	<b>1640</b>	<b>1392</b>	<b>2*125</b>



**E 2.07  
SUPINE PRESS**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1810</b>	<b>1680</b>	<b>1705</b>	<b>2*125</b>



**E 2.08  
BICEPS MACHINE**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1338</b>	<b>870</b>	<b>957</b>	<b>125</b>



**E 2.09  
TRICEPS MACHINE**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1338</b>	<b>890</b>	<b>1208</b>	<b>125</b>



**E 2.10  
ROWING TRACTION**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1468</b>	<b>805</b>	<b>1205</b>	<b>2*125</b>





**E 2.11  
LAT PULL DOWN MACHINE**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1680</b>	<b>1150</b>	<b>1976</b>	<b>2*125</b>



**E 2.13  
SEATED CALF**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1415</b>	<b>805</b>	<b>944</b>	<b>200</b>



**E 2.15  
LEVER ROW WITH LEG STRESS**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>2035</b>	<b>817</b>	<b>465</b>	<b>175</b>



**E 2.17-1  
SMITH MACHINE WITH COUNTERWEIGHT  
(REINFORCED)**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>2096</b>	<b>1413</b>	<b>2383</b>	<b>200</b>



**E 2.18  
LEG EXTENSION**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1200</b>	<b>1305</b>	<b>1125</b>	<b>2*75</b>



**E 2.20  
TRAPEZIUS ROW**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1750</b>	<b>1010</b>	<b>913</b>	<b>250</b>



**E 2.21  
DECLINE PRESS**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1905</b>	<b>1150</b>	<b>1665</b>	<b>2*125</b>



**E 2.23  
ABDOMINAL MACHINE**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1190</b>	<b>1014</b>	<b>1580</b>	<b>200</b>

# BENCHES



**E 3.01  
FLAT BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1375</b>	<b>805</b>	<b>460</b>	<b>300</b>



**E 3.02  
ADJUSTABLE BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1405</b>	<b>805</b>	<b>448</b>	<b>200</b>





**E 3.03  
SCOTT BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
1220	856	945	200



**E 3.04  
HORIZONTAL BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
1725	1670	1272	300



**E 3.05  
INCLINE BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
2020	1670	1564	300



**E 3.06  
DECLINE BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
2050	1670	1297	300



**E 3.07  
SHOULDER BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1300</b>	<b>1670</b>	<b>1725</b>	<b>300</b>



**E 3.09  
SQUAT RACK**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1165</b>	<b>1640</b>	<b>1735</b>	<b>300</b>



**E 3.11  
ABDOMINAL BENCH ADJUSTABLE**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1375</b>	<b>805</b>	<b>515</b>	<b>200</b>



**E 3.12**  
**PULL-UP/DIP/ABDOMINAL COMBO**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1075</b>	<b>1295</b>	<b>2450</b>	<b>200</b>



**E 3.12-1**  
**DIP/ABDOMINAL COMBO**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1075</b>	<b>800</b>	<b>1670</b>	<b>200</b>



**E 3.13**  
**HYPEREXTENSION**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1525</b>	<b>805</b>	<b>862</b>	<b>200</b>



**E 3.14**  
**UNIVERSAL BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1790</b>	<b>1670</b>	<b>1735</b>	<b>300</b>





**E 3.16**  
**SQUAT FRAME**

Dimensions, mm			Max loading, kg
Length	Width	Height	
1640	1635	2300	300



**E 3.19**  
**HYPEREXTENSION HORIZONTAL**

Dimensions, mm			Max loading, kg
Length	Width	Height	
1950	805	969	200



**E 3.21**  
**CRUNCH BENCH ADJUSTABLE**

Dimensions, mm			Max loading, kg
Length	Width	Height	
1700	805	953	200



**E 3.23**  
**FRENCH BENCH**

Dimensions, mm			Max loading, kg
Length	Width	Height	
1540	755	1262	300



**E 3.24**  
**REVERSE HYPEREXTENSION**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>995</b>	<b>1060</b>	<b>985</b>	<b>150</b>



**E 3.25**  
**SHOULDER BENCH WITHOUT RACK**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1125</b>	<b>820</b>	<b>1165</b>	<b>300</b>



# RACKS



**E 4.03  
DUMBBELL RACK (0,5-10KG)**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>605</b>	<b>400</b>	<b>1157</b>	<b>120</b>



**E 4.04  
PLATE TREE (INNER DIAMETER 52MM)**

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>965</b>	<b>680</b>	<b>1150</b>	<b>500</b>





### E 4.05 DUMBBELL RACK (5 PAIRS)

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>1500</b>	<b>700</b>	<b>780</b>	<b>500</b>



### E 4.09 DUMBBELL RACK (10 PAIRS)

Dimensions, mm			Max loading, kg
Length	Width	Height	
<b>2875</b>	<b>700</b>	<b>780</b>	<b>750</b>



### E 4.07 BARBELL RACK 4 PLACES

Dimensions, mm			Max loading, kg
Length	Width	Height	
1310	800	1490	500



### E 4.10 DUMBBELL RACK WITH CHROME DUMBBELL SET (0.5-10KG)

Dimensions, mm			Max loading, kg
Length	Width	Height	
605	400	1157	120







*Distribution & Service*

**Fitness Club 24 Sp. z o.o.**

---

*ul. Komorowicka 110  
43-300 Bielsko-Biała  
Polska*

---



*+48 668 313 633*



*sklep@fitnessclub24.pl*



*www.fitnessclub24.pl*



*Fitness Club 24 Distribution & Service*



*Fitness Club 24 Fitnessgeräte*



*fitnessclub24distribution*